

F o r H i g h - S p e e d C o o k i n g S o l u t i o n s . . .



THINK INSIDE THE BOX™

**Amana**<sup>®</sup>  
HIGH PERFORMANCE HAS A NAME™

# AXP20™

## High-Speed Commercial Combination Oven

### Toasts, Bakes and Crisps in Seconds

The new Amana® AXP20 high-speed combination oven utilizes an innovative combination of convection, radiant and microwave technology to toast, bake and crisp foods in seconds instead of minutes. This versatile oven is easy to install and KNLZ approved by UL for ventless operation.

### Boost Your Profits

The Amana® AXP20 allows you to speed up hourly throughput for maximum earnings. Some foods can be prepared up to 15 times faster than conventional methods. It's a perfect choice for:

**Delis**—With the Amana® AXP20 oven, you can serve hot, toasted sandwiches in seconds. Plus, premium pricing for toasted sandwiches maximizes your profits!

**Kiosks**—Serve delicious personal pizzas in just 70 seconds and with the compact foot print, this oven easily fits where other ovens won't.

**Coffee Shops**—Enhance lunch and dinner business with a complete menu of gourmet toasted sandwiches and pizzas.

**QSR's**—Adapt to changing menu trends with this versatile oven. Allows foods to be prepared in seconds versus minutes.

**EZCard Menu Management System** instantly updates menu programs by inserting the EZCard into the data port.

AXP20: Convection 2100W, Infrared Radiant 1800W, Microwave 2200W  
208-230 V, 60 Hz, 30 A, single phase, NEMA 6-30

#### Dimensions

Exterior: 20-1/4"H x 25"W x 25-5/8"D  
Interior: 10"H x 16" W x 15"D (7-3/4" H from rack)



### When Every Second Counts

| Food Item                         | Estimated Cook Time |
|-----------------------------------|---------------------|
| 6" Toasted Sub                    | 25 seconds          |
| Cheese Filled Pretzels            | 45 seconds          |
| 4–6 oz. Frozen Breaded Appetizers | 60 seconds          |
| 5" Pizza (Frozen)                 | 70 seconds          |
| Chicken Nuggets                   | 60 seconds          |

#### Key Features

- ◆ Combination of radiant, hot directed air and microwave energy to quickly toast and bake a variety of products
- ◆ 360 programmable menu items simplifies cooking and provides flexibility for menu changes
- ◆ 11 power levels for optimal control
- ◆ 4-stage cooking allows you to defrost, cook and hold any menu item with a push of a button
- ◆ Catalytic converter filters odors from air and allows for ventless installation
- ◆ Automatic voltage sensor automatically adjusts for 208 V or 230 V installation
- ◆ Exterior designed to remain cool-to-the touch for worry-free operation
- ◆ Stainless steel exterior is durable for years of commercial foodservice use
- ◆ Installs easily—no vent hood required
- ◆ EzCard Menu Management Systems instantly updates menu programs..
- ◆ ComServ service network provides on going product support
- ◆ Limited 3-year warranty

# CONVECTION EXPRESS™

Commercial Combination Oven

## Bakes and Crisps Foods, FAST!

The newly enhanced Convection Express™ will change the way you cook and sell food forever. Its innovative cooking technology lets you cook in a fraction of the time required by conventional methods.

## Maximize Your Profit Potential

The Convection Express™ offers incredible value by combining quality, speed, flexibility and throughput. Good for:

**QSRs**—The incredible cooking speed allows quick service restaurants to offer a variety of items like appetizers, desserts, pizzas or breakfast sandwiches.

**Kiosks**—With a compact footprint it fits where other ovens won't.

**Bars & Grills**—Put yourself in the food business fast by serving buffalo wings, chicken tenders, quesadillas and more.

**Coffee Shops**—Serve up more than coffee by offering quiche, muffins, scones, cookies and other desserts.



| <i>Food Item</i>       | <i>Estimated Cook Time</i> |
|------------------------|----------------------------|
| Cheese Filled Pretzels | 1:00 minute                |
| Breaded Appetizers     | 3:00 minutes               |
| 5" Pizza (Frozen)      | 3:45 minutes               |
| Chicken Nuggets        | 2:30 minutes               |

### Key Features

- ◆ Combines up to 475° F of convection cooking with 1400 watts of microwave power
- ◆ 1.2 cubic foot capacity
- ◆ Stores up to 100 programs to cook your best-selling foods instantly and consistently
- ◆ 4-stage cooking allows you to defrost, cook and hold any menu item with a push of a button
- ◆ 11 power levels for optimal control
- ◆ EZCard Menu Management System simplifies menu updates
- ◆ Installs easily—no vent hood required
- ◆ Teflon-coated stainless steel interior and stainless steel exterior are easy to clean
- ◆ Limited 3-year warranty

ACE14: Convection 2700W, Microwave 1400W  
208-230 V, 60 Hz, 20 A, single phase, NEMA 6-20  
Dimensions  
Exterior: 18-1/4"H x 19-1/4"W x 26-1/4"D  
Interior: 10-1/2"H x 13" W x 15"D



# RC SERIES

Heavy-Duty Commercial Microwave Oven (1700 – 3000 Watts)

## Quality Foods, FAST!

In the foodservice business time is money. Make the most of your time by utilizing one of the most powerful commercial ovens you can buy. Amana's RC Series of commercial microwave ovens are dependable and durable to provide fast, even-heating and superior food quality. With up to 3000 Watts of Power, these ovens heat foods 3 times faster than a 1000 Watt oven.

## Incredible Versatility

Amana® RC Heavy-Duty Commercial Microwave Ovens are very versatile. Use them to steam, boost-heat, retherm, defrost and more. It's ideal for:

**Casual Dining**—The compact footprint easily fits in the busiest kitchen. Plus the flexibility to steam lobster, shrimp and vegetables, defrost and boost-heat entire entrees makes it an invaluable kitchen tool.

**Family Restaurants**—Rethermalize entrees like lasagna or macaroni and cheese in record time.

**QSRs**—High-speed, high-volume heating for quick turns and fast profits.

**Cafeterias**—Quickly heat bulk portions on demand to eliminate food waste.



### Key Features

- ◆ 1.0 cubic foot capacity easily accommodates two 4-inch half pans
- ◆ Stores up to 100 programs to cook your best-selling foods instantly and consistently
- ◆ 4-stage cooking allows you to defrost, cook and hold any menu item with a push of a button
- ◆ 11 power levels for optimal control
- ◆ Extremely flexible—steam, boost-heat, rethermalize, defrost, and more
- ◆ X8 Multiple Quantity Pad automatically figures cook times for up to eight portions of a pre-programmed menu item
- ◆ Removable air filter with automatic clean filter reminder protects oven components from grease laden air
- ◆ Self-Diagnostic feature alerts operator when oven is not operating at full power
- ◆ Stainless steel interior and exterior is easy to clean
- ◆ Full 3-year warranty

RC17S: 1700W / RC22S: 2200W  
208-240 V, 60 Hz, 20 A, single phase, NEMA 6-20

RC30S: 3000W  
208-240 V, 60 Hz, 30 A, STEAMER EXPRESS™  
single phase, NEMA 6-30

**Dimensions**  
Exterior: 18-1/4"H x 19-1/4"W x 26-1/4"D  
Interior: 8-1/2"H x 13" W x 15"D

| APPLICATION GUIDE    |                |
|----------------------|----------------|
| RECOMMEND VOLUME USE |                |
| LIGHT<br><50         | HEAVY<br>200 + |
| USES PER DAY         |                |
| COOKING SPEED        |                |
| RC17S/RC22S          | RC30S          |
| FAST                 | FASTEST        |

# C-MAX<sup>™</sup> HDC MODELS

Heavy-Duty Commercial Microwave Oven (1200 – 2100 Watts)

## Serve Every Dish with Confidence

The Amana<sup>®</sup> C-Max<sup>™</sup> line of heavy-duty compact ovens offers powerful heating performance in a space-saving design. The unique method of energy distribution provides even-heating, virtually eliminating hot and cold spots. Durable stainless steel inside and out and robust design ensures years of dependable foodservice use.

## Maximize Your Profits

Amana<sup>®</sup> C-Max<sup>™</sup> ovens are built to handle the fast pace and grueling demands of the busiest kitchens. It's a high-performing, heavy-duty unit that's ideal for fast, single-portion throughput. A great choice for:

**QSRs**—Quick heating speed allows operators to boost-heat sandwiches and entrees in seconds.

**Casual Dining**—Compact footprint easily fits on the cook line for convenient heating, rethermalizing and defrosting.

**High Volume Vending**—Durable construction built to withstand over 200 uses per day and perfect for heating single portions.



### Key Features

- ◆ .6 cubic foot capacity
- ◆ Compact, space-saving stackable design
- ◆ Stores up to 100 programs to cook your best-selling foods instantly and consistently
- ◆ 4-stage cooking allows you to defrost, cook and hold any menu item with a push of a button
- ◆ 11 power levels for optimal control
- ◆ X2 Multiple Quantity Pad automatically figures cook times for multiple portions
- ◆ Stainless steel interior and exterior is easy to clean
- ◆ Removable air filter with automatic clean filter reminder protects oven components from grease laden air
- ◆ Full 3-year warranty

**HDC12A: 1200W**  
120 V, 60 Hz, 20 A, single phase, NEMA 5-20

**Dimensions**  
Exterior: 13-1/2"H x 16-3/4"W x 22"D  
Interior: 6-3/4"H x 13" W x 12"D

**HDC18: 1800W / HDC21: 2100W**  
208-240 V, 60 Hz, 20 A, single phase, NEMA 6-20

**Dimensions**  
Exterior: 13-1/2"H x 16-3/4"W x 22-3/4"D  
Interior: 6-3/4"H x 13" W x 12"D

| APPLICATION GUIDE    |              |                |
|----------------------|--------------|----------------|
| RECOMMEND VOLUME USE |              |                |
| LIGHT<br><50         | USES PER DAY | HEAVY<br>200 + |
| COOKING SPEED        |              |                |
| HDC12A               | HDC18        | HDC21          |
| FAST                 |              | FASTEST        |

# RCS10MPSA/RFS12MPSA/RFS18MPS

Heavy-Duty Commercial Microwave Oven (1000 – 1800 Watts)

## Maximum Durability, Superior Performance

These powerful workhorses are ideal for high volume locations. Stainless steel inside and out and high-quality construction provide years of dependable commercial foodservice use.

## Dependable and Hard-Working

Enjoy incredible versatility with dependable performance to handle the rigors of your busy foodservice business. A great choice for medium to high volume usage at:

**Delis**—Compact footprint easily fits in any space for convenient heating of sandwiches, breads, soups, bagels and more.

**Snack Bars**—Easy-to-use for quick heating and defrosting of muffins, pie and other desserts.

**Family Restaurants**—Stainless steel inside and out and a removable air filter for easy cleaning.

## Key Features

- ◆ Removable air filter for easy cleaning with automatic clean filter reminder
- ◆ X2 Multiple Quantity Pad automatically figures cook times for multiple portions
- ◆ Stainless steel interior and exterior is easy to clean
- ◆ Stores up to 100 programs
- ◆ 5 power levels
- ◆ 4-stage cooking



**RCS10MPSA: 1000W**  
120 V, 60 Hz, 15 A, single phase, NEMA 5-15  
Limited 3-year warranty

**RFS12MPSA: 1200W**  
120 V, 60 Hz, 20 A, single phase,  
NEMA 5-20 Full 3-year warranty

**RFS18MPS: 1800W**  
208-240 V, 60 Hz, 20 A, single phase,  
NEMA 6-20 Full 3-year warranty

### Dimensions

Exterior: 14-1/4"H x 21-3/4"W x 20-1/4"D  
Interior: 9"H x 14-1/4" W x 16-3/8"D

| APPLICATION GUIDE    |              |          |
|----------------------|--------------|----------|
| RECOMMEND VOLUME USE |              |          |
| LIGHT                |              | HEAVY    |
| <50                  | USES PER DAY | 200 +    |
| COOKING SPEED        |              |          |
| RCS10MPSA            | RFS12MPSA    | RFS18MPS |
| FAST                 |              | FASTEST  |

# RCS10MPA/RCS10DA

Medium-Duty Commercial Microwave Oven (1000 Watts)

## Performance You Can Count On

Built for medium-volume foodservice environments, you can depend on these powerful ovens day in and day out. Durable construction and unsurpassed quality provide years of reliable foodservice use. The interior features a ceramic shelf and removable air filter for easy cleaning.

## Versatile and User-Friendly

These high-performing ovens offer incredible flexibility to handle the rigors of your busy foodservice business. A great choice for medium volume usage at:

**Wait Stations**—The perfect choice for warming desserts, beverages, soups and entrees.

**Vending**—Simple to use with a choice of dial or touch controls.

**Convenience Stores**—Ideal for heating sandwiches, snacks and prepackaged foods.

**RCS10MPA / RCS10DA: 1000W**  
120 V, 60 Hz, 20 A, single phase, NEMA 5-15  
Limited 3-year warranty

### Dimensions

Exterior: 14-1/4"H x 21-3/4"W x 20-1/4"D  
Interior: 9"H x 14-1/4" W x 16-3/8"D

| APPLICATION GUIDE    |              |         |
|----------------------|--------------|---------|
| RECOMMEND VOLUME USE |              |         |
| LIGHT                |              | HEAVY   |
| <50                  | USES PER DAY | 200 +   |
| COOKING SPEED        |              |         |
| FAST                 |              | FASTEST |



## RCS10MPA Key Features

- ◆ Stores up to 10 programs
- ◆ 5 power levels
- ◆ Heavy-duty handle



## RCS10DA Key Features

- ◆ 6-minute dial timer
- ◆ Full power only
- ◆ Heavy-duty handle

# ALD10T/ALD10D

Medium-Duty Commercial Microwave Oven (1000 Watts)

## Affordable, Stainless Steel Models

Ideal for medium-volume sites, these dependable stainless steel commercial microwave ovens are easy-to-use for fast, convenient operation.

## Versatile and User-Friendly

Stainless steel construction makes the ALD models a great choice for medium volume usage at:

**Wait Stations**—The perfect choice for warming sandwiches, desserts, beverages, soups and entrees.

**Vending**—Simple to use with a choice of dial or touch controls.

**Convenience Stores**—Ideal for heating sandwiches, snacks and prepackaged foods.

### ALD10T/ALD10D: 1000W

120 V, 60 Hz, 20 A, single phase, NEMA 5-15

Limited 3-Year Warranty

### Dimensions

Exterior: 13-1/2"H x 22" W x 19"D

Interior: 8-3/4"H x 14-1/2" W x 15-3/4"D

| APPLICATION GUIDE    |         |
|----------------------|---------|
| RECOMMEND VOLUME USE |         |
| LIGHT                | HEAVY   |
| <50                  | 200 +   |
| USES PER DAY         |         |
| COOKING SPEED        |         |
| FAST                 | FASTEST |

## ALD10T Key Features

- ◆ 4 power levels
- ◆ 3 cooking stages
- ◆ Stainless steel inside and out
- ◆ Braille touch pads



## ALD10D Key Features

- ◆ Heating time guide
- ◆ Stainless steel inside & out
- ◆ Cook time automatically resets to zero when door is opened during cooking cycle eliminating the risk of oven running when empty.
- ◆ 10-minute light up dial timer is easy-to-set and read.



# LD10MP/LD10D2

Light-Duty Commercial Microwave Oven (1000 Watts)

## Affordable, Dependable Performance

Ideal for light volume sites, Amana LD commercial microwave ovens are the perfect replacement for domestic ovens in foodservice locations.

## Versatile and User-Friendly

A great choice for light volume usage at:

**Wait Stations**—The perfect choice for warming desserts, beverages, soups and entrees.

**Vending**—Simple to use with a choice of dial or touch controls makes these ovens ideal for self-serve vending sites.

**Convenience Stores**—Ideal for heating sandwiches, snacks and prepackaged foods.

### LD10MP / LD10D2: 1000W

120 V, 60 Hz, 20 A, single phase, NEMA 5-15

Limited 3-Year Warranty

### Dimensions

Exterior: 12-3/8"H x 20-7/8"W x 15-1/2"D

Interior: 8-3/4"H x 13-3/4" W x 14-5/8"D

| APPLICATION GUIDE    |         |
|----------------------|---------|
| RECOMMEND VOLUME USE |         |
| LIGHT                | HEAVY   |
| <50                  | 200 +   |
| USES PER DAY         |         |
| COOKING SPEED        |         |
| FAST                 | FASTEST |



## LD10MP Key Features

- ◆ 5 power levels
- ◆ 3 cooking stages
- ◆ Braille touch pads
- ◆ Push-button door

## LD10D2 Key Features

- ◆ 6-minute dial timer
- ◆ Full power only
- ◆ Push-button door





# Amana Commercial Cooking Equipment Specifications

| MODELS                             | ELECTRICAL CHARACTERISTICS              |                   |              |                    | DIMENSIONS                          |                                     |                                | OVEN FEATURES    |              |                |                  |              |                               |             |                       |          |
|------------------------------------|---|-------------------|--------------|--------------------|-------------------------------------|-------------------------------------|--------------------------------|------------------|--------------|----------------|------------------|--------------|-------------------------------|-------------|-----------------------|----------|
|                                    | Power Output**                          | Power Consumption | Power Source | Plug Configuration | CABINET                             | CAVITY                              |                                | Capacity (CU FT) | Power Levels | Cooking Stages | Program Settings | Quantity Pad | Time Entry                    | Wrap/Cavity | Shipping Weight (LBS) | Warranty |
| <b>AXP20 HIGH SPEED OVEN</b>       |   |                   |              |                    |                                     |                                     |                                |                  |              |                |                  |              |                               |             |                       |          |
| AXP20                              | 2100W (C)*<br>1800W (R)*<br>2200W (M)*  | 5700W             | 208V-230V    | NEMA 6-30          | 20-1/4" H<br>25" W<br>25-5/8" D     | 10" H<br>16" W<br>15" D             | 1.07                           | 11               | 4            | 360            | —                | Yes          | Stainless Steel               | 175         | Limited 3 Year        |          |
| <b>CONVECTION EXPRESS™</b>         |   |                   |              |                    |                                     |                                     |                                |                  |              |                |                  |              |                               |             |                       |          |
| ACE14                              | 2700W (Convection)<br>1400W (Microwave) | 3400W             | 208V-230V    | NEMA 6-20          | 18-1/4" H<br>19-1/4" W<br>26-1/4" D | 10-1/2" H<br>13" W<br>15" D         | 1.2                            | 11               | 4            | 100            | —                | Yes          | Stainless Steel/Teflon Coated | 102         | Limited 3 Year        |          |
| <b>STEAMER EXPRESS™</b>            |   |                   |              |                    |                                     |                                     |                                |                  |              |                |                  |              |                               |             |                       |          |
| RC30S                              | 3000W                                   | 4400W             | 208V-240V    | NEMA 6-30          | 18-1/4" H<br>19-1/4" W<br>26-1/4" D | 8-1/2" H<br>13" W<br>15" D          | 1.0                            | 11               | 4            | 100            | X8               | Yes          | Stainless Steel               | 123         | Full 3 Year           |          |
| <b>HEAVY-DUTY MICROWAVE OVENS</b>  |   |                   |              |                    |                                     |                                     |                                |                  |              |                |                  |              |                               |             |                       |          |
| RC22S                              | 2200W                                   | 3200W             | 208V-240V    | NEMA 6-20          | 18-1/4" H<br>19-1/4" W<br>26-1/4" D | 8-1/2" H<br>13" W<br>15" D          | 1.0                            | 11               | 4            | 100            | X8               | Yes          | Stainless Steel               | 101         | Full 3 Year           |          |
| RC17S                              | 1700W                                   | 2700W             |              |                    |                                     |                                     |                                |                  |              |                |                  |              |                               |             |                       |          |
| HDC21                              | 2100W                                   | 3200W             | 208 V-240V   | NEMA 6-20          | 13-1/2" H<br>16-3/4" W<br>22-3/4" D | 6-3/4" H<br>13" W<br>12" D          | 0.6                            | 5                | 3            | 20             | X2               | Yes          | Stainless Steel               | 73          | Full 3 Year           |          |
| HDC18                              | 1800W                                   | 3000W             |              |                    |                                     |                                     |                                |                  |              |                |                  |              |                               |             |                       |          |
| HDC12A                             | 1200W                                   | 1900W             | 120V         | NEMA 5-20          | 13-1/2" H<br>16-3/4" W<br>22" D     | 14-1/4" H<br>21-3/4" W<br>20-1/4" D | 9" H<br>14-1/4" W<br>16-3/8" D | 1.2              | 5            | —              | —                | Dial         | Stainless Steel               | 61          | Limited 3 Year        |          |
| RFS18MPS                           | 1800W                                   | 3000 W            | 208 V-240V   | NEMA 6-20          |                                     |                                     |                                |                  |              |                |                  |              |                               |             |                       |          |
| RFS12MPSA                          | 1200W                                   | 1900 W            | 120 V        | NEMA 5-20          | 13-1/2" H<br>22" W<br>19" D         | 8-3/4" H<br>14-1/2" W<br>15-3/4" D  | 1.2                            | 5                | 4            | 3              | 20               | X2           | Yes                           | 40          | Limited 3 Year        |          |
| RCS10MPSA                          | 1000W                                   | 1500W             |              | NEMA 5-15          |                                     |                                     |                                |                  |              |                |                  |              |                               |             |                       |          |
| <b>MEDIUM-DUTY MICROWAVE OVENS</b> |   |                   |              |                    |                                     |                                     |                                |                  |              |                |                  |              |                               |             |                       |          |
| RCS10MPA                           | 1000W                                   | 1500W             | 120V         | NEMA 5-15          | 14-1/4" H<br>21-3/4" W<br>20-1/4" D | 9" H<br>14-1/4" W<br>16-3/8" D      | 1.2                            | 5                | 1            | 10             | —                | Yes          | Painted                       | 56          | Limited 3 Year        |          |
| RCS10DA                            |   |                   |              |                    | 13-1/2" H<br>22" W<br>19" D         | 8-3/4" H<br>14-1/2" W<br>15-3/4" D  |                                | —                | —            | —              | Dial             |              |                               |             |                       |          |
| ALD10D                             |   |                   |              |                    | 4                                   | 3                                   |                                | 20               | X2           | Yes            | 40               |              |                               |             |                       |          |
| ALD10T                             |   |                   |              |                    | 5                                   | 3                                   |                                | 10               | X2           | Yes            | 39               |              |                               |             |                       |          |
| <b>LIGHT-DUTY MICROWAVE OVENS</b>  |   |                   |              |                    |                                     |                                     |                                |                  |              |                |                  |              |                               |             |                       |          |
| LD10MP                             | 1000W                                   | 1500W             | 120V         | NEMA 5-15          | 12-3/8" H<br>20-7/8" W<br>15-1/2" D | 8-3/4" H<br>13-3/4" W<br>13-5/8" D  | .95                            | 5                | 3            | 10             | X2               | Yes          | Painted                       | 39          | Limited 3 Year        |          |
| LD10D2                             |   |                   |              |                    | 1                                   | —                                   |                                | —                | —            | Dial           |                  |              |                               |             |                       |          |

\* (R) = Radiant (C) = Convection (M) = Microwave  
 \*\* Microwave output ratings based on IEC 705 test.

PLUG CONFIGURATION DRAWINGS NEMA 5-15 NEMA 5-20 NEMA 6-20 NEMA 6-30

**Amana Know Your Watts!**

|               |       | MICROWAVE WATTAGE |      |      |      |      |      |      |      |
|---------------|-------|-------------------|------|------|------|------|------|------|------|
|               |       | 800               | 1000 | 1200 | 1800 | 2100 | 2200 | 2700 | 3000 |
| COOKING TIMES | :30   | :25               | :20  | :12  | :10  | :10  | :08  | :07  |      |
|               | 1:00  | :52               | :45  | :27  | :21  | :20  | :17  | :16  |      |
|               | 1:30  | 1:14              | 1:00 | :39  | :32  | :30  | :25  | :24  |      |
|               | 2:00  | 1:39              | 1:20 | :52  | :42  | :40  | :35  | :34  |      |
|               | 5:00  | 4:03              | 3:10 | 2:10 | 1:50 | 1:45 | 1:15 | 1:08 |      |
|               | 10:00 | 8:15              | 6:40 | 4:00 | 3:12 | 3:00 | 2:30 | 2:23 |      |

**MORE WATTAGE = LESS COOKING TIME**

ALL PRODUCTS ARE  
 BACKED BY OUR  
**24/7 ComSERV**  
 SUPPORT CENTER.



Other models are available. Please contact your Amana distributor for details. Our continuing commitment to quality may mean a change in specification without notice.

www.amanacommercial.com, E-mail: orders@amanalink.com  
 Phone: 1-800-233-2366, Fax: 1-319-368-8197  
 Form No. ACRR0745 ©2007 AGA Commercial Products, Inc.